









# Engineering Measurements / Standards


Fraction / Decimal / Drill Size	Fraction / Decimal / Drill Size	Fraction / Decimal / Drill Size	
.0135 80	.1200 31	.3160 0	
.0145 79	<b>1/8 .1250</b>	.3230 P	
<b>1/64 .0156</b>	.1285 30	<b>21/64 .3281</b>	
.0160 78	.1360 29	.3320 Q	
.0180 77	.1405 28	.3390 R	
.0200 76	<b>9/64 .1406</b>	<b>11/32 .3438</b>	
.0210 75	.1440 27	.3480 S	
.0255 74	.1470 26	.3580 T	
.0240 73	.1495 25	<b>23/64 .3594</b>	
.0250 72	.1520 24	.3680 U	
.0260 71	.1540 23	<b>3/8 .3750</b>	
.0280 70	<b>5/32 .1562</b>	.3770 V	
.0292 69	.1570 22	.3860 W	
.0310 68	.1590 21	<b>25/64 .3906</b>	
<b>1/32 .0312</b>	.1610 20	.3970 X	
.0320 67	.1660 19	.4040 Y	
.0330 66	.1695 18	<b>13/32 .4062</b>	
.0350 65	<b>11/64 .1719</b>	.4130 Z	
.0360 64	.1730 17	27/64 .4219	
.0370 63	.1770 16	<b>7/16 .4375</b>	
.0380 62	.1800 15	29/64 .4531	
.0390 61	.1820 14	15/32 .4688	
.0400 60	.1850 13	31/64 .4844	
.0410 59	<b>3/16 .1875</b>	<b>1/2 .5000</b>	
.0420 58	.1890 12	33/64 .5156	
.0430 57	.1910 11	17/32 .5312	
.0465 56	.1935 10	35/64 .5469	
<b>3/64 .0469</b>	.1960 9	<b>9/16 .5625</b>	
.0520 55	.1990 8	37/64 .5781	
.0550 54	.2010 7	19/32 .5938	
.0595 53	<b>13/64 .2031</b>	39/64 .6094	
<b>1/16 .0625</b>	.2040 6	<b>5/8 .6250</b>	
.0635 52	.2055 5	41/64 .6406	
.0670 51	.2090 4	21/32 .6562	
.0700 50	.2130 3	43/64 .6719	
.0730 49	<b>7/32 .2188</b>	<b>11/16 .6875</b>	
.0760 48	.2280 1	45/64 .7031	
<b>5/64 .0781</b>	.2340 A	23/32 .7188	
.0785 47	<b>15/64 .2344</b>	47/64 .7344	
.0810 46	.2380 B	<b>3/4 .7500</b>	
.0820 45	.2420 C	49/64 .7656	
.0860 44	.2460 D	25/32 .7812	
.0890 43	<b>1/4 .2500</b>	51/64 .7969	
.0935 42	.2570 F	<b>13/16 .8125</b>	
<b>3/32 .0938</b>	.2610 G	53/64 .8281	
.0960 41	<b>17/64 .2656</b>	27/32 .8438	
.0980 40	.2660 H	55/64 .8594	
.0995 39	.2720 I	<b>7/8 .8750</b>	
.1015 38	.2770 J	57/64 .8906	
.1040 37	.2810 K	29/32 .9062	
.1065 36	<b>9/32 .2812</b>	59/64 .9219	
<b>7/64 .1094</b>	.2900 L	<b>15/16 .9375</b>	
.1100 35	.2950 M	61/64 .9531	
.1110 34	<b>19/64 .2969</b>	31/32 .9688	
.1130 33	.3020 N	63/64 .9844	
.1160 32	<b>5/16 .3125</b>	<b>1 1.0000</b>	
			 3/8 .375
			 5/16 .312
			 1/4 .250
			 3/16 .187
			 5/32 .156
			 1/8 .125
			 3/32 .093
			 1/16 .062
			<b>RADIUS SELECTION</b>

# Measurements




Inches




Centimeters



Pixels




Super Inch



# FOR MORE INFORMATION

**Palm PDA Devices and Macintosh Computers  
SU203 or Mini SSC II Interface  
Interface Cables and Configurations  
Parts, Hardware, Software**



**Blue Point Engineering  
[www.BPEsolutions.com](http://www.BPEsolutions.com)**

**Animatronic, Robotic, & Haunted Attraction Products**

**Robert's Gadgets and Gizmos Web Site**

Web Site: [www.bpesolutions.com/gadgets.ws/gadgetsmm.html](http://www.bpesolutions.com/gadgets.ws/gadgetsmm.html)

E-Mail: [vandeest@idcomm.com](mailto:vandeest@idcomm.com)

**Copyright © 2001 Robert Van Deest  
All Rights Reserved**